


## 2025 SOLAR GARD AUTOMOTIVE OFFERING



ALL COLOR MATCH FILM

VLT	solstice			endeavor			Vortex IR			Xenith IR		
	Published VLT	Auto Glass VLT <sup>1</sup>	TSER	Published VLT	Auto Glass VLT <sup>1</sup>	TSER	Published VLT	Auto Glass VLT <sup>1</sup>	TSER	Published VLT	Auto Glass VLT <sup>1</sup>	TSER
80	NA	NA	NA	NA	NA	NA	NA	NA	NA	76	64	45
70	NA	NA	NA	68	58	35	71	60	40	67	57	50
55	NA	NA	NA	NA	NA	NA	53	45	47	56	47	51
50	48	40	36	48	40	43	NA	NA	NA	NA	NA	NA
45	NA	NA	NA	42	36	45	46	39	49	45	38	56
35	38	32	40	36	30	47	38	32	53	38	32	59
30	30	25	44	30	25	49	30	25	55	30	25	60
25	NA	NA	NA	NA	NA	NA	24	20	57	NA	NA	NA
20	21	18	48	22	19	52	NA	NA	NA	NA	NA	NA
15	13	11	52	15	12	56	17	13	60	15	13	63
5	6	5	57	7	6	60	8	4	63	5	4	64

**Performance notes:**

Performance results based on film applied to 1/8" (6mm) clear glass calculated using NFRC methodology and LBNL Window software, and are subject to variations within industry standards and only intended for estimating purposes.

<sup>1</sup> Performance results based on film applied to a representative automotive glass with a base visible light transmission of 75%. Due to variations in glass performance, these values should not be used to comply with local tinting laws.

