ADVEXL10A

- 10.1" High-Def Overhead Flipdown Monitor w/Builtin DVD Player • HDMI/MHL Inputs • Interchangeable Shale, Pewter, and Black Trim Rings & Snap-on Covers . Intergrated IR Dual Ch Headphone Transmitter
- FM Modulator w/FM Transmitter Function • USB Port • 2 Fold Flat Wireless Headphones • A/V Inputs & Outputs • Game Port • Remote Control Included



ADVDLX10A

- 10.1" High-Def Digital Monitor w/Built-in DVD Player • Interchangeable Shale, Pewter, and Black Trim Rings and Snap-on Covers • USB Reader • Intergrated IR Headphone Transmitter • Built-in 100 Channel FM Modulator with FM Transmitter Function • 2 Wireless Headphones
- Audio/Video Inputs/Outputs M1/M2 Operation (when 2 units are installed in one vehicle) . Remote Control



ADVDLX9A

- 9"Hi-Def Digital Monitor with Built-in DVD Player
- Interchangeable Shale. Pewter, and Black Trim Rings & Snap-on Covers • USB Reader
- Intergrated Infrared Headphone Transmitter • FM Modulator w/FM Transmitter Function • 2 Wireless Headphones • A/V Inputs/Output
- M1/M2 Operation (for installation of 2 units) . Remote Control



ADVEXL12A

- 12.1" Hi-Res Digital LED Back-lit Panel • Universal Snap on Bezels & Trim Rings (Black/Gray/Tan) • DVD Player with Auto-On • USB Reader with 2.1 Amp Charging Support • USB/HDMI MHL Input • Dual Channel Infrared Headphone Support • 100-Channel FM Transmitter • A/V Inputs/Outputs
- Remote Control/Mounting Bracket and Hardware • Optional Game Pack Ready





ADVUNI300

- Universal Multimedia Receiver w/Built-in Navigation & App Control
 US-Canadian Map Database with TTS Push to Talk (PTT) App Connectivity for iPhone, Android and BlackBerry Internet Radio Apps Bluetooth Front 3.5mm A/V Input Rear A/V Input Front Back State State
- Rear/Sub 6v RMS Line Output Rear Camera Input SXM Ready High Resolution Touch Screen External Bluetooth Microphone
- Front Full Size USB with 1 Amp Charging Remote Control



IFNSFI

USBCHG1

■ Dual Outlet Universal USB Charger ■ Flush or Surface Mount • Charges 2-Devices at One Time • 2.1 & 1-Amp Outlets • Weather Cap



Deluxe **Parking Assistance System**

PSD100D

- 2-Sensors Detect **Obstacles over 6ft** away from Bumper
- Can be Installed as Front/Rear Sensor System • Learning Capability . System is Upgradable to a



4-Sensor System • Waterproof Connectors • Can be Painted

Two Additional Add-on Sensors for above PSD100D

Seat **Heater Pads**

SKL2B

- 2-Carbon Fiber Heater Pads One for Seat Cushion and One for the Seat Back (17.5" x 9.5")
 • Wire Harness w/Thermo-Relay
- and In-Line Fuse 3-Position (Hi/Lo/Off) Round Switch w/LED Indicator • High-Quality Switch • 8-Large Wire Ties • Fully Bound
- **Edges Prevent Unwanted Element Contact** with Seat Components • All Wires Completely Covered for Protection against Abrasion and Grounding
- Pre-Applied Attachment Tape on all Sides





Cameras & Rear Observation



- Universal Navigation Mirror w/4.3" Hi-Definition Touch-screen • Built-in iGo Primo Navigation Display (can be set to only show when directions needed) • 19 O.S.D. Languages • Text-to-speech Recorded Voice Guidance • 11 Million POI's with 3D • Built-in Bluetooth • Back-up Camera Input
- Standard Mount Included



RVM200

- OEM Style Replacement Rearview Mirror with 4.3" Automatic Monitor Brightness Adjustment
- Adjustable Backup Guide Lines Hi-Brightness 1000 cd/m Backlit-Screen . Dual Video Inputs
- Includes Mounts and Remote Control



CAM335

- Mini Flexcam Rearview Color Camera CMOS 1/3" Camera w/160° Wide Angle Lens • Camera is Activated Automatically when the Vehicle is in Reverse • 10-Selectable Styles of Parking Grid Lines • Aluminum Waterproof/Dustproof Housing
- Includes 3-Mounting Brackets



ACA800

License Plate Top Mount & Surface Mount Rear View Camera • Assist Parking Lines • 150° Wide Angle Viewing Vision • IP67 Waterproof • Low Light High-Sensitivity Optics Provide Excellent Visibility after Dark • Optional Mirrored Mode



- Blind Spot Detection (Radar Based) Compact Design • Alerts are Shown when other Vehicles, People or Objects Enter the Blind Spot Vehicle
- Audible and Visual Alerts Selectable Speed Sensing Activation thru CANBUS Waterproof IP67 Rated Mounts Behind Bumper



7.3" Wide-Screen Auto Dimming Universal Rearview Mirror/Monitor with Optional Split-Screen Mode • Montitor can Accept up to 2-Cameras & Show Both at Once • Backlighting & Adjustable On-Screen Guidelines • PAL/NTSC • Includes Remote Control, and Multiple Standard Mounts



CAM500

- Universal Tailgate Handle Camera Aluminum Powder Coated Housing • 170° Extended View
- Selectable Parking Lines & Reversible Viewing Angle • Waterproof under Vehicle Connection with Disconnect Protection

ACAM350

- 3.5" Color LCD/TFT Rear Observation Monitor and is Compatible with most Video Back-up Cameras
- Monitor Turns on Automatically with Vehicle in Reverse and Camera Activated
- Single RCA Video Input Flexible Mounting Base with 3M Mounting Tape 19' Long Wire Harness Included



ACA200W

- License Plate/Surface Mounted Wired Backup Camera
 CMOS Camera Element with a 130° Wide-Angle View • Weather Resistant Housing
- Compatible with any Monitor with Standard RCA Video Input • Surface Mounting Bracket and 25' Extension RCA Video Cable Included



ACA400

- 1/4" CMOS Hi-Res OE-Style Backup Color Camera
 0.3 LUX Minimum Illumination Parking Lines • 150° Wide Angle Lens • Compact
- ABS Plastic Body Waterproof Housing Hole Saw Included



- 13.3" Hi-Def LED (16:9) Backlit Monitor with Built-in DVD Player USB Reader w/Charging Support Hi-Def Input
 Dual Channel IR Headphone Transmitter 100 Channel
- FM Transmitter Multiple Overhead Monitor Connection
- A/V Inputs/Output Snap-on Bezels Covers & Trim Rings in Black, Gray and Tan Easy Fitment Mounting Bracket



- 10.1" Hi-Def LED (16:9) Backlit Monitor with Built-in DVD Player USB Reader w/Charging Support Hi-Def Input
 Dual Channel IR Headphone Transmitter 100 Channel
- FM Transmitter Multiple Overhead Monitor Connection
- A/V Inputs/Output Snap-on Bezels Covers & Trim Rings in Black, Gray and Tan Easy Fitment Mounting Bracket



AVXMTGHR1DA

- 7" Headrest Monitor System w/DVD Player Built-in FM Modulator Adjustable Viewing Angles 3.5mm to RCA Adapter Cable (A/V Input) USB/SD Inputs A/V Inputs
 A/V Output Enclosed Post Wiring Adjustable Headrest Pole Diameter Remote Control, Shale, Pewter & Black
- Covers Included

AVXMTGHR1MA - As above without DVD Player



• 10.1" Digital LED Back-Lit Panel • HD Input for Smart Device Connectivity • Integrated DVD Player • Capacitive Touch Buttons • USB Input (for Media Playback) • Micro SD Card • Dual Channel IR Transmitter • Wireless FM Transmitter • Universal Mounting Brack • AV-1 and AV-2 Inputs/AV Output/Earphone Output • Removable Design



- Over-the-Ear Headphones with Adjustable Headband and Closed Faux-leather Ear Cushions Auto Shut-Off
- Batteries included

MTGHP1CA - Single Channel Headphones



Call LESCO for Factory Matching Headrest and Active Seatback Solutions 7"and 8" are Available







Remote Start/Security Systems

APS997E – 2-Way LCD Command Confirming Remote Start/Keyless Entry & Security System

(1) 5-Button LCD Display Remote Control • (1) 5-Button Remote Control • Single or Two user Programmable with Separate Control Outputs • Programmable Active or Passive Door Locks • Active or Passive Arming Selectable • Parking Light Flasher • Čar Horn Output • Remote Panic • Multi Tone Mini Siren • Push Button LED/Valet Built-in Antenna • Remote Trunk Release • DBI Port • Telematica Port - Car Connection PRO Ready



AP\$787E – 1-Way Remote Start/Keyless Entry & Security System

• (2) 5-Button Remote Controls • Rémote Panic in all Modés • User Programmable Manual Override Code Ż-Function LED • Pogrammable Active or Passive Door Locks Starter Disable • Programmable Auto Lock On/ Off • Active or Passive Arming • Multi Tone Siren • Parking Light Flasher • Remote Trunk Release • Push Button LED/Valet Built-in Antenna • Multiple Vehicle Capable • DBI Port • Telematica Port - Car Connection



Remote Start Systems

APS57E – 1-Way Remote Start & Keyless Entry System
• (2) 3-Button Remote Controls • On-Board Start Relay • Keyless Entry Outputs • On-Board Accessory Relay
• On-Board Ignition 1 and 2 Relay • Trunk Release Output • Tach Signal Learning Circuit • On-Board Parking
Light Relay • 2 Positive/2 Negative Safety Shutdown Circuits • Alarm By-Pass Output • Accessory Outputs

• Car Finder Mode • Selectable Run Times • DBI Port



APS687E – 1-Way Remote Start & Keyless Entry System

- (2) 5-Button Remote Controls 2-Stage Door Unlock Push Button LED/Valet Built-in Antenna Tach Signal Learning Circuit • Selectable Automatic Timed Start • Remote Panic Mode • Horn Honk Output • Positive and Negative Keyless Entry Outputs • On-Board Start, Accessory and Parking Light Relay • Selectable Run Times
- Multi Vehicle Capable 3 Auxiliary Output DBl Port Telematica Port Car Connection PRO Ready **APS687TWE** – As above with Extended Range



- APS901E 1-Way Remote Start only System
 (2) 1-Button Remote Controls Up to 1,500 feet Operating Range On-Board Start Relay Tach Signal On-
- Board Ignition 1 and 2 Relay Learning Circuit On-Board Accessory Relay On-Board Parking Light Relay
 Selectable Run Times 2 Positive/2 Negative Safety Shutdown Circuits Accessory Output Push Button
 LED/Valet Built-in Antenna Accessory Output DBI Port Telematica Port Car Connection PRO Ready







Platinum Plus Alarms

APS596E – Advanced 2-Way LCD Command Confirming Security System

• (1) 5-Button Metal 2-Way LCD Command Confirming Transmitter • (1) 5-Button Metal 1-Way Remote Control • Programmed Transmitter Notification • Glass Mount Antenna with Built-in LED Light and Valet Switch • Remote Panic In All Modes • 7 Function LED- Arm/Disarm/Zone 1/Zone 2/Zone 3/Valet/Ārming • Programmable Auto Unlock/Off/Drivers Door/All Doors • Starter Interrupt • Parking Light Flasher • Remote Trunk Release • Remote Keyless Entry • Intrusion Alert with Memory • Multiple Vehicle Capable • Multi Tone Siren



APS510E - Deluxe Security System

- (2) Five Button Metal 1-Way Remote Controls Remote Panic In All Modes 7 Function LED Arm/Disarm/ Zone 1/Zone 2/Zone 3/Valet/Arming • Programmable Auto Unlock/Off/DriversDoor/All Doors • Protected Valet
- Starter Interrupt Last Door Arming Selectable Active or Passive Arming Programmable Active or Passive Door Locks Parking Light Flasher Multiple Vehicle Capable Remote Truck Release Remote Keyless Entry
- Multi Tone Siren



Prestige Series Alarms and Keyless Entry

APS25E - Standard Security System

• Two 3-Button Metal 1-Way Remote Controls • 7 Function LED - Arm/Disarm/Zone 1/Zone 2/Zone 3/Valet/ Arming • Remote Panic in all Modes • Intrusion Alert with Memory • Starter Interrupt • Selectable Passive or Active Arming • Last Door Arming • Protected Valet • Parking Light Flasher • Remote Keyless Entry Remote Trunk Release • Dual Zone Shock Sensor • Multi-Vehicle Capable • Multi-Tone Siren



APS45C - Keyless Entry System

• Two 4-Button Transmitters • LED Status Indicator • Ignition Controlled Door Locks • Built-in Parking Light Flasher • Remote Panic in all Modes • Horn Output Control



APS122E - 1-Way Security System

- Two 3-Button Remote Controls Up to 500 feet Operating Range Remote Panic 7-Function LED Starter Interrupt • Last Door Arming • Active or Passive Arming Selectable • Multi Tone Siren • Parking Light Flasher • On-Board Dual Stage Shock Sensor • Remote Trunk Release • Remote Keyless Entry

PROSVR - Stolen Vehicle Recovery Device

 Compatible with any Vehicle • Includes Battery Back-up if Power is Cut • Nationwide Wireless Coverage in 50 States • 24/7/365 Trained Recovery Call Center • 5-Years of Recovery Service Included • Includes Bread-Crumb Maps • Trip Reports & Live Location Feature • Smart Phone App for Apple and Android • Professional Installation Required







AS9234E

Factory Keyless Upgrade to Vehicle Security with Remote Start System

- Uses OEM Keyless **Entry Remotes**
- Long Range RF Upgradeable
- Dual Stage Shock Sensor
- Starter Interrupt
- Telecatics Port-CarLink Ready
- 5 Year Limited Warranty



CAR:LINK

AVXDATA

PRESTIGE RF TO DATA CONVERTER

Required when adding any of the following Prestige transmitter kits to the AS9234E, FLCAN or FLRS Data Start systems.



UPC: 0-44476-12415-0 MASTER CARTON: 24



PE₁B

One-Way 1-Button **Remote Control** Includes:

- (2) 141BP One-Way **Remote Controls**
- (2) 1181202 Antenna
- (1) 1124296 Antenna Harness

UPC: 0-44476-12636-9 MASTER CARTON: 24



PE5B

One-Way 5-Button Remote Control Includes:

- (2) 145SP One-Way Remote Controls
- (1) 1181254 Antenna
- (1) 1124296 Antenna Harness

UPC: 0-44476-12637-6 MASTER CARTON: 24



PE2LED

Two-Way LED 5-Button Remote **Control Includes:**

- (1) 5BFR15SP Twn-Way Remote Controls
- (1) 155SP One-Way Remote Control
- (1) 1181258 Antenna
- (1) 1124293 Antenna Harness

UPC: 0-44476-12639-0 MASTER CARTON: 24



PE2LCD

Two-Way LCD 5-Button Remote **Control Includes:**

- (1) 5BCR14SP Two-Way **Remote Controls**
- (1) 145SP One-Way Remote Control
- (1) 1181255 Antenna
- (1) 1124293 Antenna Harness

UPC: 0-44476-12640-6 MASTER CARTON: 24



PE2RELCD

Two-Way Rechargeable LCD 5-Button Remote **Control Includes:**

- (1) 5BCR14RE Two-Way Remote Controls
- (1) 145SP One-Way Remote Control
- (1) 1124350 Charging Cable
- (1) 1181255 Antenna
- (1) 1124293 Antenna Harness

UPC: 0-44476-12641-3 MASTER CARTON: 24





BLUETOOTH BASIC SERVICE

REMOTE ACCESS/START
INSURANCE DISCOUNT PROGRAM

Note: App can be downloaded on up to 10 smartphones. Installation of ASCLBT required. **Connect further with CARLINK™**

CELLULAR PREMIUM SERVICE

- Territory Restrictions -







Flashlogic's flagship web-programmable 'all-in-one' CAN interface. Supports data immobilizer bypass & doorlock integration for over 3400 vehicles 1997 to date including exclusive KLON firmware applications.

Features single-wire connection to Audiovox and related remote start, vehicle security and convenience products equipped with a 'DBI' serial port.

FLASHLOGIC DATA START SYSTEMS

| FLRSBM1 | BMW Remote Start Module with Plug-in Harness |
|----------|---|
| FLRSBZ1 | Mercedes Remote Start Module with Plug-in Harness |
| FLRSBZ2 | Mercedes Remote Start Module with Plug-in Harness |
| FLRSBZ3 | Mercedes Remote Start Module with Plug-in Harness |
| FLRSBZ4 | Mercedes Remote Start Module with Plug-in Harness |
| FLRSHA7 | Honda Data Start Module with T-Harness |
| FLRSHA6 | Honda Data Start Module with T-Harness |
| FLRSNI5 | Nissan Data Start Module with T-Harness |
| FLRSF01 | Ford Data Start Module with T-Harness |
| FLRSCH4 | Chrysler Data Start Module with T-Harness |
| FLRSCH5 | Chrysler Data Start Module with T-Harness |
| FLRSCH7 | Chrysler Data Start Module with T-Harness |
| FLRSGM2 | GM Data Start Module with T-Harness |
| FLRSGM7 | GM Data Start Module with T-Harness |
| FLRSGM10 | GM Data Start Module with T-Harness |
| FLRSVW1 | VW,Audi Remote Start Module with T-Harness |

FLASHLOGIC TRANSPONDER BYPASS & DATA INTERFACE MODULES

| FLCAN | All-In-One CAN Door Lock & Transponder Interface |
|-------|---|
| FLDL1 | Door Lock/Convenience with GM Immobilizer Interface |
| FLTB1 | Import Transponder Data Interface |

UNIVERSAL TRANSPONDER BYPASS MODULES

UTI Universal Transponder Interface Kit-Key Required

FLASHLOGIC PROGRAMMERS & MISCELLANEOUS

| FLPROG | Generation II FlashLogic Programmer/Update |
|--------------|---|
| FLWLMAP1 | FlashLogic Weblink Programmer (iphone) |
| FLWLMAN1 | FlashLogic Weblink Programmer (Android) |
| ADSHRNRSXL02 | Adaptor Harness for DEI RF Kits for Data Start Systems (10 per pack) |
| ADSHRNSM01 | Adaptor Harness for DEI SmartStart for Data Start Systems (10 per pack) |
| FLHRNTM | Telematics (Car Connection PRO / Carlink) to Data Start Module Interconnect Harness |
| HRNPKAL2 | FLCAN Harness (8 Per Pack) |
| MBT00L | Mercedes Ignition Switch Removal Tool |



Multimedia w/Navigation



VX7020

- Double DIN In-Dash 6.2" TFT Touchscreen Receiver w/DVD Built-in NAV and Bluetooth
- Acceiver w/DVD Built-in NAV and Bluetooth

 Audio Controls for Android/iPhone Pandora
 Link SXM Ready with Channel Art Front
 USB w/1 Amp Charging Front 3.5mm Audio
 Video Input Rear Audio/Video Input Video
 Output 6v RCA Line Output (F/R/Sub) Rear
 Camera Input Remote Control Included



VX7012

- Single DIN In-Dash Motorized 7" Hi-Res TFT Touchscreen Multimedia Receiver w/Built-in NAV & Bluetooth • HDMI/MHL for Smartphone
 Connectivity & Mirroring • App Controls for
 Android/iPhone/BlackBerry • Pandora Link
 • SXM Ready • Front USB w/2.1 amp Charging
 • SD Card Slots • Front 3.5mm A/V Input • Rear
 A/V Inputs • 6v Line Output (F/R/Sub) • Rear
- Camera Input



VX7022

- Double DIN In-Dash 6.2" Hi-Res TFT Touch-screen Multimedia Receiver w/Built-in NAV screen Multimedia Heceiver w/Built-in NAV
 and Bluetooth • HDMI/MHL for Smartphone
 Connectivity & Mirroring • App Controls for
 Android/iPhone/BlackBerry • Pandora Link
 • SXM Ready • Front USB w/2.1 amp Charging
 • SD Card Slots • Front 3.5mm A/V Input • Rear
 A/V Inputs • 6v Line Output (F/R/Sub) • Rear
- Camera Input

Receivers



VX4022

- Double DIN 6.2" TFT Touchscreen Multimedia Receiver with HDMI/MHL for Smartphone Connectivity & Mirroring App Connectivity-iPhone/Android/BlackBerry via jLinkUSB Connect via Bluetooth to Stream and Control Pandora/SiriusXM/iHeart Radio/aHa Radio Spotify/Slacker/Tune-In and more 2.1 amp IISR Charning Front Panel A/V Input & USB
- USB Charging Front Panel A/V Input & USB SD Card SiriusXM Satellite Radio Ready



VX4025

- Double DIN 6.2" TFT Touchscreen Multimedia Double DIN 6.2" TFT Touchscreen Multimedia Receiver • App Connectivity-iPhone/Android BlackBerry via jLinkUSB • Connect via Blue-tooth to Stream Control Pandora/SiriusXM iHeart/aHa Radio/Spotify/Slacker/Tune-In and more • 2.1 amp USB Charging • Front Panel A/V Input & USB/SD Card • RCA Line Output
- SiriusXM Satellite Radio Ready



VX4012

- Single DIN 7" TFT Touchscreen Multimedia
- Single DIN 7" TFT Touchscreen Multimedia Receiver with HDMI/MHL for Smartphone Connectivity & Mirroring App Connectivity-iPhone/Android/BlackBerry via jLinkUSB
 Connect via Bluetooth to Stream and Control Pandora/SiriusXM/iHeart Radio/aHa Radio Spotify/Slacker/Tune-In and more 2.1 amp USB Charging Front Panel A/V Input & USB SD Card SiriusXM Satellite Radio Ready



VX3012

 Single DIN Motorized 7" Touchscreen Multimedia Receiver w/Built-in Bluetooth . iPod/iPhone & iPad Control • App Connectivity-

iPhone/Android/BlackBerry via jLinkUSB • 2.1 amp USB Charging • Front USB Input with 2.1 amp USB Charging • Front Panel 3.5mm A/V Input • RCA Line Output • Steering Wheel Control Interface

VX3022

 Double DIN Motorized 6.2" Touchscreen Multimedia Receiver w/Built-in Bluetooth . iPod/iPhone & iPad Control • App Connectivity-



iPhone/Android/BlackBerry via jLinkUSB • 2.1 amp USB Charging • Front USB Input with 2.1 amp USB Charging • Front Panel 3.5mm A/V Input • RCA Line Output • Steering Wheel Control Interface



M Series

Proprietary 4-layer Non-pressed Paper DDC Finish Cone Dynamic Damping Coating (DDC) • Large Roll NBR Rubber Surround • Chrome Push Terminals • Non-Resonant Basket



| Model | Size | RMS/Peak | Voice Coil | Impedance | Motor |
|---------|-------|-------------------|------------|------------------|---------|
| M-1504D | - 15" | 425Watts/850Watts | 2.5" BASV | Dual 4Ω | 220 oz. |
| M-1504 | - 15" | 425Watts/850Watts | 2.5" BASV | Single 4Ω | 220 oz. |
| M-1204D | - 12" | 375Watts/750Watts | 2" BASV | Dual 4Ω | 164 oz. |
| M-1204 | - 12" | 375Watts/750Watts | 2" BASV | Single 4Ω | 164 oz. |
| M-1004D | - 10" | 325Watts/650Watts | 2" BASV | Dual 4Ω | 158 oz. |
| M-1004 | - 10" | 325Watts/650Watts | 2" BASV | Single 4Ω | 158 oz. |



• 4-Layer Black Paper/Wool Cone • Large Roll Foam Surrounds • Chrome Push Input Terminals • Pole and Aero Vented Cooling

S-84

| • Non-Reso | | | t | 8 8 | Litter | 11/24 |
|------------|---|------|-------------------|------------|------------------|---------|
| Model | | Size | RMS/Peak | Voice Coil | Impedance | Motor |
| S-1204D | - | 12" | 300Watts/600Watts | 2" BASV | Dual 4Ω | 142 oz. |
| S-1204 | - | 12" | 300Watts/600Watts | 2" BASV | Single 4Ω | 142 oz. |
| S-1004D | - | 10" | 275Watts/550Watts | 2" BASV | Dual 4Ω | 116 oz. |
| S-1004 | - | 10" | 275Watts/550Watts | 2" BASV | Single 4Ω | 116 oz. |
| S-84D | - | 8" | 125Watts/250Watts | 1.5" BASV | Dual 4Ω | 116 oz. |

1.5" BASV

125Watts/250Watts



Single 4Ω


116 oz.

- Injection Molded Cone Composite Fiber Basket
- Chrome Push Input Terminals 3.25" Deep

| Model | Size | RMS/Peak | Voice Coil | Impedance | Motor |
|--------|-------|-------------------|------------|------------------|---------|
| S-12TD | - 12" | 300Watts/600Watts | 2" KSV | Dual 4Ω | 140 oz. |
| S-12T | - 12" | 300Watts/600Watts | 2" KSV | Single 4Ω | 140 oz. |
| S-10TD | - 10" | 275Watts/550Watts | 2" KSV | Dual 4Ω | 116 oz. |
| S-10T | - 10" | 275Watts/550Watts | 2" KSV | Single 4Ω | 116 oz. |



S Series Full Range Coaxial Speakers and Components



Component Kits and Tweeters

| Model | Size | RMS/Peak | Tweeter | Magnet |
|--------------|--|-------------------|------------------|-----------|
| L2-6C | - 6.5" Component w/X-over Kit | 75Watts/225Watts | 1" Aluminum Dome | 8.6 oz. |
| S-60C | - 6.5" Component w/X-over Kit | 70Watts/210Watts | 1" Silk Dome | 10 oz. |
| S-50C | - 5.25" Component w/X-over Kit | 50Watts/150Watts | 1" Silk Dome | 10 oz. |
| L-1A | - 1" Aluminum Dome Tweeter | 50Watts/100Watts | 1" Aluminum Dome | Neodymium |
| S-1S | 1" Silk Dome Tweeter | 50Watts/100Watts | 1" Silk Dome | Neodymium |
| S-1ZT | - 1" Zirconium Super Tweeter | 100Watts/200Watts | 1" Zirconium | - |
| L-3H | - 3" Compression Horn Tweeter | 100Watts/200Watts | Die Cast Horn | 18 oz. |



Full Range Class A/B /

- MOSFET Power Supply Variable High/Low Level Input
 Variable Bass Boost Variable Gain Control Stable at 2-ohm

| Model | | Channels | Power | Peak |
|-------------|---|----------|-------------------------------|------------|
| ASA3-1100.5 | _ | 4+1 | 150 Watts x 4 + 500 Watts x 1 | 2200 Watts |
| ASA3-700.5 | - | 4+1 | 100 Watts x 4 + 400 Watts x 1 | 1600 Watts |
| ASA3-600.4 | - | 4 | 200 Watts x 4 | 1600 Watts |
| ASA3-400.4 | - | 4 | 100 Watts x 4 | 800 Watts |
| ASA3-800.2 | - | 2 | 400 Watts x 2 | 1600 Watts |
| ASA3-600.2 | - | 2 | 300 Watts x 2 | 1200 Watts |
| ASA3-400.2 | - | 2 | 200 Watts x 2 | 800 Watts |
| ASA3-300.2 | - | 2 | 150 Watts x 2 | 600 Watts |
| ASA3-200.2 | _ | 2 | 100 Watts x 2 | 400 Watts |

Mono-Block Class A/B Amplifiers

| Model | | Channels | Power | Peak |
|------------|---|----------|---------------|------------|
| ASA3-600.1 | - | 1 | 600 Watts x 1 | 1200 Watts |
| ASA3-400.1 | _ | 1 | 400 Watts x 1 | 800 Watts |

Mono-Block Class D Amplifiers


| Model | Channels | Power | Peak |
|----------------|----------|----------------|------------|
| ASA3-1500.1D - | - 1 | 1500 Watts x 1 | 3000 Watts |
| ASA3-1000.1D - | - 1 | 1000 Watts x 1 | 2000 Watts |

KL Mini Amplifiers

• Wrap Around Aluminum Heatsink • Conformal Coated PC Board • Variable

| dalii Control • Auxiliary Input (3.5iiiii) • Variable Subwoolei EQ | | | | | |
|--|---|----------|--------------------|------------|--------------------|
| Model | | Channels | Power | Peak | Remote Gain |
| XL-2205M | _ | 2 | 200 Watts x 2 (2Ω) | 800 Watts | - |
| XL-4165M | - | 4 | 160 Watts x 4 (2Ω) | 1280 Watts | - |
| XL-355DM | - | 1 | 350 Watts x 1 (2Ω) | 700 Watts | Yes |
| XL-605DM | _ | 1 | 600 Watts x 1 (2O) | 1200 Watts | Yes |

 Proprietary 4-layer, Non-pressed Paper, DDC Finish Cone Dynamic Damping Coating (DDC) • High Roll Santoprene Surround • Polycarbonate/Glass Fiber Basket • XTRA Large Motor Structures • Chrome Push Terminals







PS-PP121

This Party Pack Includes:

PS-WB121 Single 12" Sub Enclosure ASA3-300.2 600W Power Amplifier

550W ATK-8 8GA Wiring Kit





PS-PP101

This Party Pack Includes:

PS-WB101 Single 10" Sub Enclosure ASA3-300.2 600W Power Amplifier

ATK-8 8GA Wiring Kit



PS Series Subwoofers

 Precision Stamped Steel Basket with Aeroventing • 1-Piece EVA Closed Cell Gasket • 2-Layer Roll Treated Foam Surround • Ribbed DDC-Treated Paper Cone Woofer • 2" BASV Voice Coil • Single 4-ohm Impedance • Extended and Vented Pole Motor Assembly • Progressive Flat Spider • 110oz. Magnet

PS-12 - 12" Subwoofer, 250W RMS/500W Peak

PS-10 - 10" Subwoofer, 225W RMS/450W Peak



- Territory Restrictions -

Fiberglass CB Antennas

- SOTT3B Black
 3' 1-1/2 Wave Fiberglass Pre-Tuned Antennas • 2000-Watts Power Rating
- 18-Gauge Solid Wire Double Wind • Standard 3/8" x 24 Threaded Base
- Made in the U.S.A

Available Colors: White, Red, Blue SOTT3B-Black

• 4' Version of above

Available Colors: White, Red, Blue

SuperFlex CB Antennas

TSM4B - Black TSM4W - White
• 4'- 3/4 Wave Flexible Antennas • 1000-

Watts Talk Power • Pretuned for CB Radio Frequencies/Can be Tuned for 10-Meter • Top Loaded Helically Wound around a 1/4" Fiberglass Rod Band • Protective Covering Reduces Static • Made in the U.S.A

TSM3B-Black TSM3W-White

3' Version of above

TSM2B-Black TSM2W-White

• 2' Version of above

EVERHARDT™ **TIGER**

CB Antenna

C27-O-RED - Red
• Hi-Quality Base Loaded Mobile CB Antenna • Utilizes Standard 3/8"-24 Threaded Ferrule • 250 Watt RMS Rating • 54" Stainless Steel Whip Included • Made in the USA

Available in: Black, Blue, White

